



Liquid Nitrogen Generator Specification Sheet LN65

Liquid Nitrogen Production Rate:	65 litres/day (2.71 litres/hr)
Enclosure Dimensions:	1.6m (L) x 0.8m (W) x 1.8m (H)
Air Cooled Unit Dimensions	0.6m (L) x 0.3m (W) x 0.6m (H)
Enclosure Weight:	450 Kg (on wheels)
Dewar Volume:	210 Litres
Cold Head Assembly:	1 x CH-110
Helium Compressor:	1 x FA-70 - air cooled
Electrical Input options:	3 Phase: 220v, 380v, 415v 50Hz / 60Hz
Power Consumption:	7.0kw @ 50Hz / 8.4kw @ 60Hz
Helium Compressor Cooling :	Air Cooled
Ambient Temperature Range:	+4°c to +40°c
Maximum altitude:	10,000 feet (3,000 metres) – higher altitudes available
Compressed Air Requirement:	Internal oil-free compressor included
Noise Level:	<65dBA @ 1 metre
Control System:	HMI colour graphic touch screen
Tank Level high / low Setting:	Adjustable – 0 – 100%
Liquid Nitrogen Pressure:	1 bar g (1.5 bar g relief valve)
Main Features:	Dewar Vacuum Protection System Oxygen analyser with alarm
Certification:	Dewar – EN 13458 / 97/23/EC; System – CE / ISO9001:2008

